

AGROLAB LUFA Dr.-Hell-Str. 6, 24107 Kiel

Date 10.03.2022
Customer no. 10083246

The activities reported in this document are accredited according to DIN EN ISO/IEC 17025:2018. Only not accredited activities are identified by the symbol " *) " .

REPORT

Order **3048585** Order no: 2209
Sample no. **466726**
Sample acceptance **08.03.2022**
Sample taker **Client**
Customer sample description **sample 4:
Chaga Glucan Extrakt
Lotnumber: IOE-G-22012101
Ident.-Nr.: 100024**

Packaging **1x alu sachet, 50g**
DLUO **20.01.2026**

Unit Result Limit value Substance Method

Trace elements / Heavy metals / Halogenides

Inorganic arsenic	mg/kg	0,08		OM	DIN EN 16802 : 2016-07
-------------------	-------	-------------	--	----	------------------------

Parameter-specific analytical measurement uncertainties and information regarding the method of calculation will be provided upon request if the reported results are above the parameter-specific limit of quantification.

Explanation: OM = on original matter; DM = on dry matter base

The sampling date is a customer information.

Start of testing: 08.03.2022
End of testing: 10.03.2022

The results are related only to the samples tested. In cases where the laboratory has not been responsible for sampling, the reported results apply to the samples as received. Duplication of this document or of parts of it requires the authorization from laboratory. In accordance our agreement in writing in the order confirmation, the results in this test report are in a simplified form in the context of DIN EN ISO/IEC 17025:2018, paragraph 7.8.1.3.



AGROLAB LUFA Frau Dr. Julia Kirschning, Tel. 0431/1228-236
Leitung Kundenbetreuung